•	UN		
SEC	URI	. V	<u>C</u>

OHE PAR COPY

1PR 1 8 1991

AD-A234		N PAGE		Form	Approved 3 No. 3734-3138
1a. REPORT		b. RESTRICTIVE	MARKINGS		<del></del>
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION.	AVAILABILITY OF	REVORT	<del></del>
	والمراجع المراجع المرا			- KERONI	
26 DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved for public release;			
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5. MONITORING		_	5)
· · · · · · · · · · · · · · · · · · ·	-	AFOSR-TR	91 0	269	
64. NAME OF PERFORMING ORGANIZATION	66. OFFICE SYMBOL	7a. NAME OF MC	NITORING ORGA	NIZATION	
alversity of Illinois	(if applicable)				
at Thicago		AFOSR/NO		En do S	
Sc. ADDRESS (City, State, and ZIP Code)	111	76. ADDRESS (Cit	y, state, and ZIP (	Loge)	
Department of Chemistry, M/C University of Illinois at Chi		Rolling Bolling	AFB, DC 20	1332_6449	
Thicago, IL 6068)	Caso, F. 2 4340	DOTITING	Arb, DC 20	1332-0446	
3a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT	INSTRUMENT ID	ENTIFICATION N	JMBER
AFOSR	NC	AFOSR-89	-0146		
Ic. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF F		RS	
Building 410, Bolling AFB, DC	20332-6448	PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO	WORK UNIT
		61104D	3842	Λ2	The constant in the
1. TITLE (Include Security Classification)				<u> </u>	
Z. PERSONAL AUTHOR(S)  Michael Trenary  32. TYPE OF REPORT  13b. TIME CO		14. DATE OF REPO		. Dav) 115. PAGI	E COUNT
	1/88 TO5/1/90	October		. 1	\$
6. SUPPLEMENTARY NOTATION		OCOOD A	J. 1990		
7. COSATI CODES	18. SUBJECT TERMS	(Continue on revers	e if necessary an	d identify by blo	ck number)
FIELD GROUP SUB-GROUP	]				
	]				
	مصنبت بصورت				
9. ABSTRACT (Continue on reverse if necessary The equipment purchased is	<b>and identify by block i</b> s to be used	<i>iumber)</i> In an expe	rimental st	udv of th	ne.
relationship between atomic					
	search is cui				
	proposal is				
continue these studies. Car					
bonded solids with highly w					
to be studied are loosely i					
inhibition of carbon/carbon					
be used is a scanning tunne					
	•	e used in	-		
		pectroscopy	(XPS),	ultraviole	
photoelectron spectroscopy (UPS), low energy electron diffraction (LEED), temperature programmed desorption (TPD) and scanning tunneling microscopy					
(STM).	orperon (tru)	and scanning	g cumerring	g microsco	ру
20 DISTRIBUTION AVAILABILITY OF ABSTRACT		21. ABSTRACT SE	CURITY CLASSIFIC	CATION	
CANCLASSIFIED/UNI,IMITED - SAME AS		UNCLASS	SIFIED		
24. NAME OF RESPONSIBLE INDIVIDUAL Lt Col Burggraf		226. TELEPHONE (202) 767-	(Include Area Cod -4960	e) 22c. OFFICE : NC	SYMBOL
O Form 1473, JUN 86	Previous editions an	e obsolete.	SECURITY	CLASSIFICATION	OF THIS PACE

91 4 16 066

UNCLASSIFIED

Final Report for DoD-URIP AFOSR-89-0146
Scanning Tunnelling Microscope for Boron Surface Studies

Michael Trenary, Principal Investigator Department of Chemistry University of Illinois at Chicago

<u>Summary of Research Projects using Equipment Purchased Under</u> Grant

The equipment purchased is to be used in an experimental study of the relationship between atomic structure and chemical reactivity for boron and carbon surfaces. This research is currently being supported by grant # AFOSR-88-0111. A renewal proposal is currently pending with AFOSR to continue these studies. Carbon and boron are exceptionally stable, covalently bonded solids with highly unique crystal structures. The specific reactions to be studied are loosely related to the problems of oxidation and oxidation inhibition of carbon/carbon composites. The main experimental instrument to be used is a scanning tunneling microscope (STM) purchased under grant number AFOSR-89-0146. Other techniques to be used include Auger electron spectroscopy, X-ray photoelectron spectroscopy (XPS), ultraviolet photoelectron spectroscopy (UPS), low energy electron diffraction (LEED), temperature programmed desorption (TPD) and scanning tunneling microscopy (STM). Previous studies have indicated that the basal (0001) plane of graphite is relatively inert and that the reactivity is much higher at (10T0) edge sites. It has been found empirically that B20, inhibits the oxidation of carbon/carbon composites and it has been postulated that this is due to the blocking of reactive sites. We will use STM to obtain an atomic scale understanding of the interactions of 0, and B,0, with a graphite surface. We will also characterize the adsorption, desorption, and possible reactions of B<sub>2</sub>O<sub>3</sub> on graphite with TPD and XPS. For the boron surface work we will grow boron films by chemical vapor deposition on a Ta(110) surface. Such a procedure will allow us to follow the development of the structures of  $\alpha$  and  $\beta$  rhombohedral boron and correlate the observed structures with their chemical reactivities. The proposed experiments represent a continuation of our current work on the reactions of  $O_2$  and  $B_2O_3$  with a  $\beta$ rhombohedral boron (111) surface.

## Description of Equipment Purchased

This is the final report on equipment purchased with funds provided under the above grant. The original budget request was for \$72,000 from DoD with \$20,000 cost sharing from the University of Illinois at Chicago. The actual amount of the DoD award was \$49,000. A revised budget was submitted on Oct 27, 1988 for a total of \$84,000 of which \$35,000 was to be provided by university funds with \$49,000 provided by the DoDURIP grant. As stated in the revised budget, the \$84,000 was to be used to

purchase the STM made by W. A. lechnology of Cambridge, England. This company is represented in the USA by Microscience, Inc., at Norwell, MA. The development of commercial STM's is occurring at a rapid pace. In the time interval between the submission of our revised budget and the time when sealed bid responses were received by the university, McAllister Technical Services, Inc. developed a UHY compatible STM which appeared to meet our specifications. The McAllister STM was also the least expensive available. The money saved by purchasing this STM was used for various other components needed for its successful operation in our UHV chamber. Specifically, we needed to design and build a new sample holder and heater as well as sample transfer system. This allows us to readily transfer a sample from the STM to our main manipulator. Although the sample can be heated to as high a temperature as desired with electron bombardment, the transferability currently precludes direct measurement with a Thus it was necessary to purchase an optical thermacoupla. pyrometer for measuring the sample temperature. With the sample on the main manipulator, it can be characterized by other techniques which include low energy electron diffraction and Xray photoelectron spectroscopy. The sample heating and transfer system for STM use has been thoroughly tested and debugged. It now works reliably and is currently being used.

Item	Vendor	Price	
Scanning tunnelling microscope (STM) with control electronics and software	McAllister Technical Services (formerly of Berkeley, CA now in Coeur d'Alene, ID)	\$54,950	
IBM 386 25 MHz computer, 80 MByte hard disk, 80387 coprocessor	McAllister Technical Services	\$4,784	
Graphics and text monitors for SIM computer	Microage, Chicago, IL	\$650	
Electrometer for independent measurement of STM current	Keithley Instruments Cleveland, OH	\$3,120	
Oscilloscope for analyzing STM performance characteristics	Tektronix, Beaverton, OR	\$2,952	; ;
Power supply for STM sample heating	Sorenson, Chicago, IL	\$1,325	

1-A

Vibrational isolation table for vacuum chamber (necessary for operating STM in ultra high vacuum)	Barry Control, Watertown, MA	\$6,800
Optical pyrometer for measuring STM sample temperature	Pyrometer Instrument Co., Northvale, NJ	\$2,330
Two spare piezo scanning tubes for STM	McAllister Technical Services	\$950
Miscellaneous parts for STM compatible sample holder, sample heater and sample transfer.		\$6,139
Total		\$84,000

÷